Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





WATER SUPPLY OUTLOOK

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

for

WYOMING

UNITED STATES DEPARTMENT of AGRICULTURE...SOIL CONSERVATION SERVICE, and

STATE ENGINEER of WYOMING

Data included in this report were obtained by the agencies named above in cooperation with the Bureau of Reclamation, U.S. Forest Service, National Park Service, and other Federal, State and private organizations.

MAY 1, 1962

UNITED STATES DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

To Recipients of Cooperative Snow Survey and Water Supply Forecast Reports:

The climate of the cultivated and populated areas of the West is characterized by relatively dry summer months. Such precipitation as occurs falls mostly in the winter and early spring months when it is of little immediate benefit to growing crops. Fortunately, most of this precipitation falls as mountain snow which stays on the ground for months, melting later to sustain streamflow during the period of greatest demand during late spring and summer. Thus, nature provides in mountain snow an imposing water storage facility.

The amount of water stored in mountain snow varies from place to place as well as from year to year and accordingly, so does the runoff of the streams. The best seasonal management of variable western water supplies results from fore-knowledge of the runoff.

A snow survey consists of a series of about ten samples taken with specially designed snow sampling equipment along a permanently marked line, about 1000 feet in length, called a snow course. The use of snow sampling equipment provides snow depth and water equivalent values for each sampling point. The average of these values is reported as the snow survey measurement for a snow course.

Snow surveys are made monthly or semi-monthly beginning in January or February and continue through the snow season until April, May or June. Currently more than 1400 western snow courses are measured each year. These measurements furnish the key data for water supply forecasts.

By relating snow survey measurements taken over a period of years to spring-summer runoff during the same period, relationships have been developed which make it possible to forecast seasonal runoff several months in advance of occurrence. In order to make a forecast, once a forecast relationship has been developed, the maximum snow water content at previously selected key snow courses is usually entered in the forecast relationship. More accurate forecasts are often obtained when other factors such as soil moisture, base flow and spring precipitation are considered and included in the forecast relationships.

Listed below are the Federal-State-Private Cooperative Snow Survey and Water Supply Forecast reports available for the West which contain detailed information on snow survey measurements, streamflow forecasts, reservoir storage, soil moisture and other guide data to water management and conservation decisions.

	PUBLISHED BY SOIL	CONSERVATION SERVICE	
REPORTS	ISSUED	LOCATION	COOPERATING WITH
RIVER BASINS			
COLORAGO AND STATE OF UTAH	_ MONTHLY (JANJUNE)_	SALT LAKE CITY, UTAH	UTAH STATE ENGINEER AND OTHER AGENCIES
COLUMBIA	MONTHLY (JANMAY)	BOISE, IOAHO	IOAHO STATE RECLAMATION ENGINEER
UPPER MISSOURI AND STATE	_ MONTHLY (FEB JUNE) _	BOZEMAN, MONTANA	MONT. AGR. EXP. STATION
WEST-WIDE	OCT. 1, APR. 1, MAY 1_	PORTLANO, OREGON	ALL COOPERATORS
STATES			
ALASKA	MONTHLY (MAR MAY)	PALMER, ALASKA	ALASKA S.C.D.
AR I ZONA	SEMI-MONTHLY (JAN.15 - APR.1)	PHOENIX, ARIZONA	SALT R. VALLEY WATER USERS ASSOC. ARIZ. AGR. EXP. STATION
Colorado ano New Mexico	- MONTHLY (FEBMAY)	FORT COLLINS, COLORAGO.	COLO. AGR. EXP. STATION COLO. STATE ENGINEER N. MEX. STATE ENGINEER
Іоано-	MONTHLY (FEBMAY)	BOISE, IOAHO	. IOAHO STATE RECLAMATION ENGINEER
NEVAOA	_ MONTHLY (JANMAY)	RENO, NEVADA	NEVAGA DEPT. OF CONSERVATION AND NATURAL RESOURCES - DIVISION OF WATER RESOURCES
ORE GON	_ MONTHLY (JANJUNE)	PORTLANO, OREGON	ORE. AGR. EXP. STATION OREGON STATE ENGINEER
WASHINGTON-	_ MONTHLY (FEB JUNE)_	SPOKANE, WASHINGTON	WN. STATE DEPT. OF CONSERVATION
WYOMING	MONTHLY (FEBJUNE)	CASPER, WYOMING	WYOMING STATE ENGINEER
Copies of these	various reports may be .	secured from: Head, Water Supply For Soil Conservation Ser P.O. Box 4170, Portle	rvice
	PUBLISHED BY	Y OTHER AGENCIES	
REPORTS	ISSUED		AGENCY
BRITISH COLUMBIA	_ MONTHLY (FEBJUNE)		RIGHTS BR., DEPT. OF LANOS AND T BLOG., VICTORIA, B.C., CANAOA
CALLEGRNIA	MONTHLY (FER -MAY)	CALLE DEPT OF WA	TER RESOURCES SACRAMENTO CALLE.

FEDERAL-STATE COOPERATIVE

SNOW SURVEYS AND WATER FORECASTS

FOR

WYOMING

Issued May I, 1962

Report Prepared by George W. Peak Snow Survey Supervisor State of Wyoming

Soil Conservation Service 345 East 2nd Street P. O. Box 340 Casper, Wyoming

Issued by

B. H. Hopkins
State Conservationist
Soil Conservation Service

Earl Lloyd State Engineer of Wyoming Cheyenne, Wyoming

The control of the state of the

MARCIL.

321002

Simple of Man.


The religion of the state of th

 () からか からままかったのかので、子を成 またまれ、ひゃびとかかお、方を行 とびう かった いたいか なみまかいなび、からなかり。

Stranger Anna Stranger

1000年 1日 東京 (平 11日 東京 (中)

rottorio. Proposito especiale especiale. Particologica



INDEX TO WYOMING SNOW COURSES

ORAINAGE BASIN AND COURSE NAME	WYOMING NUMBER	ELEV.	SEC. LAT. URI RIVER	TWP.	RANGE LONG.	RECORO BEGAN		MEAS. BY b	ORAINAGE BASIN AND COURSE NAME	WYOMING NUMBER	ELEV.	SEC. LAT.	TWP.	RANGE LONG.	RECORO BEGAN	MEAS. OATES a	MEAS. BY b
MADISON RIVER									CROW CREEK								
Norris Basin 21 Mile •m	10E2	7500 7150	440441	118	110°421 5E	1 9 36 1934	2,3,4,5 1,2,3,4,5		Pole Mountain #2 NORTH PLATTE	5HI	2700	35	15N	72 ₩	1936	2,3,4,5	1
West Yellowstone YELLOWSTONE	m IIE7	6700	34	138	5E	1934	1,2,3,4,5	6	Albany	6H11	9400	18	14N	78W	1949	2,3,4,5	1
Canyon	10E3	7750	44044		1100301	1938	1,2,3,4,5	i 1	Bottle Creek Boxelder #1, #2	6H2 5G1	9000	24 31	14N 30N	25₩ 75₩	1936 1950	2,3,4,5	
Cooke City •m Crevice Mountain •	1007	7400 B400	25 22	9S 9S	14E 9E	1937 1935	1,2,3,4,5		Casper Mountain Columbine «c	6G1	9300	16 21	32N 5N	79W B2W	1954 1936	2,3,4,5	5
East Entrance	10E6	7000	17	52N	109W	194B	3,4 1,2,3,4,5	2	Fox Park	6H12	9200	21	131	78W	1936	2,3,4,5	4
Lake Camp #1, #2 Lupine Creek	10E4 10E1	7850 7300	44°341 44°541		110°24'	1937 1938	1,2,3,4,5		LaBonte North Barrett Creek		9400	30	27N 16N	74W 80W	1949 1936	2,3,4,5	1
Thumb Oivide Sylvan Pass	10E7 10E5	7900 7100	44°22'	52N	1100351	1946 1936	2,3,4 1,2,3,4,5	5	North French Creek # Northgate •c	1 6H4 6J7	10200 8500	27 7	16 N	20W 79W	1938	2,3,4,5	1
CLARK'S FORK									Old Battle Park View ∗c	6H10	9800 9200	29 2 4	14N 5N	85 W	1936	2,3,4,5	1
Lodgepole	9E1	8200	32	56N	106W	1940	2,3,4,5	1,4	Rock Creek	6H14 6H6	9800	5	17N	79W	1960	2,3,4	1
WINO RIVER Big Warm	9F12	8800	36	42N	109W	1955	2,3,4,5	1	Ryan Park #2 Webber Spring	6H9	9000 9000	34 27	16N 14N	81W 85W	1936 1936	2,3,4,5	i
Burroughs Creek Dinwoodie	9F4 9F10	8800	15 9	43N 38N	107W 105W	1948 1948	2,3,4,5	1,3	Willow Creek Pass *c CHEYENNE RIVER	6J5	9500	1	4N	78W	1838	2,3,4,5	
Oinwoodie Glaciers Ory Creek		10500 9500	43°141 34	4N	109 ⁰ 351	1959	2,3,4	1	Upper Spearfish *s	3E I	65CC	21	3 N	ΙE	1944	2,3,4	4
OuNoir	9 F 6	8750	27	42N	I CSW	1940	2,3,4,5	1,3	Terry Peak *s	3E2	7000	II AOO RIVER	4N	2E	1960	2,3,4	1,4
Geyser Creek Little Warm	9F7 9F8	8500 9500	12 24	41N 41N	108W	1948 1948	2,3,4,5	- 1	GREEN RIVER		COLOKA	NI TEN	- ONA INA				
Sheridan R.S. #2 T-Cross Ranch	9F14 9F3	75 CO 8 00 O	3	42N 43N	109W 107W	1955 1940	2,3,4,5	1	Big Park Big Sandy Opening	10G11 9 G 9	8700 9200	7 17	27N 31N	117W 104W	1951 1961	2,3,4,5	1
Togwotee Pass	10F9	9600	29	44N	110M	1936	2,3,4,5	5	Blind Bull	1062	8750	6	34N	115W	1948	2,3,4,5	
POPO AGIE RIVER Blue Ridge	8G2	9500	23	31N	101W	1939	2,3,4,5	1	Outch Joe R.S. East Rim Oivide	9G5 10F17	8700 7950	32	31N 37N	104₩ 111₩	1936 1936	2,3,4,5	5 I
Bruce's Camp Hobbs Park	BG5 9G3	6500 10000	24 22	32N 2S	101W	1955 1948	2,3,4	1,3	Elk Heart Park G.S. Elk River *c	9G10 6J4	9400 8700	22 6	35N 10N	107W 25W	1961 1936	2,3,4,5	
Mosquito Park R.S.	9G4 BG1	9500 8500	23	25	3W 101W	1940	2,3,4,5	1,3	Gros Ventre Hewinta R.S. *u	10F19 10J4	8750 9500	36 33	40N 3N	111W	1948 1930	2,3,4,5	1
Sawmill Glade South Pass	8G3	9000	13	30 M	10 I W	1939	2,3,4,5	-	Hole-in-the-Rock *u Kelly R.S.	1011	9150 8200	13	2N 26N	15E	1931 1951	4	i
St. Lawrence R.S. Trout Creek	9F11 9G2	9000 B4C0	26 5	1N 2S	4₩ 2₩	1940 1948	2,3,4,5	1,3	Kendall R.S. #I	10G12	7900	23	38N	HOW	1936	2,3,4,5	
Twenty Lakes	967	10500	5	1\$	5 W	1959	2,3,4	- 1	Kendall R.S. #2 Loomis Park #1	10F15 10F16	7900 8500	23 14	38N 37N	111W	1961 1936	2,3,4,5	
OWL CREEK Owl Creek	BFI	B700	36	43N	10 IW	1948	2,3,4,5	1	Loomis Park #2 Mulligan Park	10F16 9G1	8500 8900	14 17	37N 35N	111W 108W	1960 1936	2,3,4,5	
GREYBULL RIVER									New Fork Lake North Horse Creek	9F21 10G16	8325 8200	11	36N 34N	109W 114W	1961	2,3,4,5	1
Frontier Needle Kirwin	9F20 9F19	10000	20 13	46N 45N	106W 10.4W	1961 1960	2,3,4	1	Old Battle Piney LaBarge #1	6HI0 10GI0	9800 8820	29 19	14N 29N	85W	1936 1937	2,3,4,5	1
· Wood River #2 Timber Creek #2	9F15 9E3	8000 8800	28 25	46N 47N	103M 103M	1956 1955	2,3,4,5	1	Piney LaBarge #2	10G10	88 20	19	29N	114W	1959	2,3,4,5	i
SHOSHONE RIVER	0.0	0000				.000	1,0,-,0		Pocket Creek Poison Meadows	9G11 10G6	9360 8500	19 29	30 N	116W	1961 1948	2,3,4,5	
Carter Mountain East Entrance	9E4 10E6	78C0 7000	15 17	50N 52N	103W	1957 1948	1,2,3,4	1	Snyder Basin R.S. #2 Soda Lake	10614	8300	15 14	33N	114W 115W	1956 1955	2,3,4,5	
Sylvan Pass	1085	7100	12 43 ⁰ 561	52N	110₩	1936	1,2,3,4,5	2	Triple Peaks	10G15	2500	33	34N	115W	1956	2,3,4,5	'
Younts Peak NOWOOO CREEK	9F18	8500	43°50'		1090491	1960	2,3,4	'			COLUME	IIA RIVER	ORAINA	GE			
Cold Springs Camp Medicine Lodge Lak	7E25 es 7E24	8700 9500	7	50N 51N	88W B7W	1956 1956	2,3,4,5	i	SNAKE RIVER BASIN (A								
Munkres Pass	7EB	9700	11	48N	85W	1950	2,3,4,5		Arizona Aster Creek	10F1 10EB	6850 7700	3 44 ⁰ 7	46N	113W 110°37†	1919 1919	2,3,4	5 5
Onion Gulch West Tensleep Lake	7E27 7E26	9075	31	48N 50N	85W B6W	1956 1956	2,3,4,5	i	Base Camp Coulter Creek	10F2 10E10	6900 7600	20 44°091	46N	1100331	1947 1919	2,3,4	5
Tyrell R.S. Bear Trap	7E35 7F1	8300 8000	30 10	49N 45N	86W 85W	1956 1960	2,3,4,5 2,3,4,5	1	Glade Creek Grassy Lake	10E13	7200 7265	44°0B1	48N	110°441 117₩	1919	2,3,4	5
Canyon Creek Tensleep R.S.	7F2 7E7	7400 2300	16 30	43N 49N	86W 86W	1960 1936	2,3,4,5	1	Huckleberry Oivide Lewis Lake Oivide	10E14 10E9	7300 7900	32 44 ⁰ 13 ¹	48N	115₩ 110°40¹	1919	2,3,4	5
SHELL CREEK									Moran Moran Bay	10F4 10F3	6800 6800	8,17	45N	114W	1919	2,3,4,5	5
Bald Mountain Beaver-Tongue Oivi	7E21 de 7E20	9600 9200	33	56N 55N	91W	1956 1956	2,3,4,5		Snake River Station	10E12	6780	440081	45N	1100401	1919	2,3,4	5
Bone-Spring Oivide Granite Pass	7E18 7E17	9200 8950	32 19	55N 54N	89W 88W	1956 1956	2,3,4,5	1	Thumb Olvide JACKSON LAKE TO PALIS	10E7 SAOES	7900	440221		110°351	1951	2,3,4	5
Ranger Creek Shell Creek	7E4 7E23	8800 9600	35	53N 52N	88W 88W	1935 1956	2,3,4,5		Afton R.S.	10G4	6200	30	32N	118W	1936	1,2,3,4,	5 4
PORCUPINE CREEK									Blackrock Blind Bull	10F7 10G2	8600 8750	6	44N 34N	111W	1936 1948	2,3,4	1
Five Springs Falls Medicine Wheel	7E31 7E30	7500 9000	19 24	56N 56N	92₩ 92₩	1956 1956	2,3,4,5	-	Bryan Flat CCC Camp	10F14 10G7	6250 7500	9	38N	115W 118W	1936 1936	1,2,3,4,	5 1,4
TONGUE RIVER									Cottonwood Lake Oeadman Ranch	10G5 10G1	7500 6534	25 28	31N 35N	118W	1936 1936	2,3,4	1,4
Beaver-Tongue Oivi Big Goose #2	7E32	9200 7700	12	55N 53N	91₩ 86₩	1956 1955	2,3,4,5	1	East Rim Oivide Four Mile Meadows	10F17 10F6	7950 7770	32 35	37N 45N	111#	1936 1936	2,3,4,5	5 I 5
Bone-Spring Divide Burgess R.S. #2	7E18 7E33	9200 7900	32 36	55N 56N	89W 89W	1956 1955	2,3,4,5	1	Greys Boundary Gros Ventre	10F18 10F19		33 36	37N 40N	W811	1936 1948	2,3,4,5	5 I,4
Oome Lake #2 Gloom Creek	7E34 7E14	8800 9300	32	53N 55N	87₩ 8 7 ₩	1950 1956	2,3,4,5	1	Grover Park Oivide Loomis Park	10G3 10F16	7500	27	33N 37N	W811 W111	1936 1936	1,2,3,4,	5 1,4
Granite Pass	7E17	8950	19	54N	88W 88W	1956 1956	2,3,4,5	į	Poison Meadows Teton Pass #2	10G6	8500	29	30N 41N	116W	1949	2,3,4,5	
Sibley Lake Sucker Creek	7E11	9000	19	55N 55N	87W	1956	2,3,4,5		Togwotee Pass	10F13 10F9	9600	24 29	44N	110W	1936	2,3,4,5	5
Steamboat Point Wood Rock G.S.	7E13	7500 8500	32 3	56N 54N	87W 88W	1956 1956	2,3,4,5 2,3,4,5	-	Turpin Meadows Yellowjacket	10F5 10F10	6930 7675	33	45N 42N	115M	1936 1936	2,3,4	4
Geneva Pass POWOER RIVER	7E37	10600	30	52N	86W	1961	2,3,4,5	1	Salt River Summit Snow King Mountain #	10G8 3 10F20	7900 7600	32 4	29N 40N	118W 117W	1948 1959	1,2,3,4. Semi. Mo	
Bear Trap	7F I	8000	10	45 N	25W	1960	2,3,4,5	1	05.0 01450								
Canyon Creek Clouds Peak	7F2 7E36	7400 10000	16 15	43N 51N	86\ 85\	1960 1960	2,3,4,5	i	BEAR RIVER Big Park		8700	7	27N	117W	1951	2,3,4,5	1
Muddy Creek G.S. Munkres Pass	6E2 7E8	7200 9700	5	48N 48N	84W 85W	1956 1950	2,3,4,5		CCC Camp Girl Hollow •u	10G7 11H17	7500 8400	9 5	29N 7N	118W 5E	1936 1951	2,3,4.5	1,4
Onion Gulch Soldier Park	7 E27 7E5	8 I00 8700	31 36	48N 51N	25W 25W	1956 1950	2,3,4,5	1	Goodman Ranch *u Hayden Fork *u	10J6 10J7	7900 9300	19	3N 1S	10E 9€	1937 1951	4 4,5	
Sour Oough	7E6	8500	17	49N	24 ₩	1936	2,3,4,5	I	Head of Bear River •	u 10J5	8600 8200	15 13	2N 26N	10E	1935	4 2,3,4,5	1
SWEETWATER Grannier Meadows	#I 8G4	9000	19	30N	100W	1937	2,3,4,5	1	Kelly R.S. Monte Cristo, R.S.	10G12	8960	3	8N	4E	1930	3,4,5	i,
Larsen Creek	9G6	9000	12	30N 30N	101#	1949	2,3,4,5	į	Poison Meadows Salt River Summit	10G6 10G8	8500 7900	29 32	. 30N	116W	1948 1948	2,3,4,5	1,4
South Pass LARAMIE RIVER	8G3	900 C	13	3014	10111	1338	2,3,4,5		a. Numerals 1,2,3,4 a	nd 5 refe	r to Jar	nuary I, F	ebruary	I, March	I, April	l, and May	1.
Brooklyn Lake #1 Brooklyn Lake #2	6H13	10500	11	16N	79₩ 79₩	1936 1956	2,3,4,5	1	b. Numerals refer to	Agency	that sec	ures the	SNOW S	survey, as	follows	:	
Oeadman Hill *c	516	10500	26	100	75₩ 7E₩	1937	3,4,5		2. U. S. Natio 3. U. S. India	nal Park	Service		c. Col	orado sno tana snow	w courses	5.	
Evans Fox Park	6H15	9000 9200	21	13N	7E\	1960	2,3,4,5	4	4. U. S. Fores	t Servic	e.		s. Sou	th Dakota	snow cou	ırses.	8 (2)
Hairpin Turn #2, Libby Lodge #2	6H3	9500 8700	24 29	16N	79₩ 78₩	1936	2,3,4,5		5. U. S. Burea	u of Rec	101 J Emai		J. Utal	h snow co	urses.	5,5-13,48	(2)
McIntyre *c Pole Mountain #2	5J 15 5HI	9100 8700	35 35	10N 15N	76₩ 72₩	1949 1936	2,3,4,5 2,3,4,5	1									
Roach •c	6115	9800	5	ION	77W	1940	2,3,4,5	1									

WATER SUPPLY OUTLOOK

FOR

WYOMING

MAY 1. 1962

Wyoming snowmelt stream flow forecasts will remain the same as those of one month ago. Although precipitation for April has been less than that anticipated, snow pack evaporation, during April, has also been less than average.

*

*

*

*

*

*

*

*

*

*

*

*

*

Most of the low elevation snow throughout the State, has melted and runoff. In some areas, April stream flow has exceeded anything on record for almost forty years. In contrast to this heavy discharge, high elevation snow has not been materially reduced. In some areas, high elevation snow now exceeds the measured water content of April 1.

*

*

*

*

*

*

The expected yields range from normal in the Cody area, to 160 percent in the Star Valley. Mountain soil storage is at field capacity and will subtract nothing from the snow pack.

In addition, winter wind has been substantially less than normal. And considerably less than that of the past few years. Accordingly, the exposed areas of the snow pack have not been subjected to abnormal evaporation rates.

If subsequent storms provide a normal increment to the snow pack, the seasonal water supply throughout the state will range from good to excellent.



THE COLUMBIA RIVER BASIN is forecast at IIO percent of average at Moran, Wyoming, and II2 percent on the Snake above Palisades Reservoir. Extremely, heavy flows of I6O percent are anticipated in the Salt and IL3 percent from the Greys River drainage.

THE COLORADO RIVER BASIN is also substantially above normal with snow melt water supplies estimated at 147 percent of average for the Green River at Green River, Wyoming.

THE LOWER YELLOWSTONE BASIN is holding an expected runoff of 106 percent at DuBois, 108 percent into Bull Lake Reservoir, 124 percent near Milford, and 137 percent of average for the Little Popo Agie near Lander. The Shoshone outlook is for 100 percent of normal into Buffalo Bill Reservoir. Flows of around 138 percent are predicted for Shell Creek, 118 percent for Medicine Lodge Creek near Hyattville and 128 percent above normal for Tensleep Creek.

THE NORTH PLATTE RIVER BASIN has also improved substantially during the past month. The April I to September 30 yield at Northgate is a heavy 170 percent. At Encampment, the forecast is for 108 percent and the combined flow at Saratoga will be close to 1'I percent of average.



		April	I - Septe	ember 30
		Stream-Flow	in Thousar	nds of Acre Feet
BASIN AND TRIBUTARY	Runoff	% 15-Year Average	Measure	ed Runoff 15-Yr. Avg.
			1960	1943-57
MADISON RIVER West Yellowstone (at)	233	108%	171	216
YELLOWSTONE RIVER Corwin (at)	2236	113%	1321	1980
LITTLE POPO AGIE Lander (near)	57	137%	19	村
NORTH FOPO AGIE Milford (near)	92	121%	L _t O	7 <u>4</u> *
BULL LAKE CREEK Lenore (near)	185	108%	118	170*
WIND RIVER DuBois (near)	106	106%	61	100*
SHELL CREEK Shell (near)	98	138%	Li3	71
TENSLEEP CREEK Tensleep (near)	102	128%	<u>1</u> 16	80
MEDICINE LODGE CREEK Hyattville (near)	22.8	118%	12.8	19.3
SHOSHONE RIVER Buffalo Bill Dam(below)(I)	850	100%	511	851
CLARK'S FORK Chance, Mont. (at)	600	98%	386	617
LARAMIE RIVER Jelm (at) (2)	152	134%	83	113
ENCAMPMENT RIVER Encampment (near)	168	108%	118	156
MEDICINE BOW RIVER Hanna (near)	115	115%	35	99
NORTH PLATTE RIVER Northgate (at) Saratoga (at)	435 935	170% 151%	193 150	255 661
THOMAS FORK WyoIdaho State Line (near) 53	156%	18	34



				70
	Seasonal			tember 30 nds of Acre Feet
BASIN AND TRIBUTARY	Forecast	The same and the same of the s		ed Runoff
	Runoff	Average	-	15-Yr. Avg.
			1960	1943-57
NORTH PINEY CREEK			0.1	1
Mason (at)	57	139%	2L ₁	41
NEW FORK RIVER				
Boulder (near)	340	130%	110	261
GREEN RIVER	10		0.007	710
Warren Bridge (at)	418	120%	207	348 983*
Fontenelle (near) Green River (at)	11·30 1760	1.5%	439 456	1200
Green River (a)	1760	11:7%	450	1200
BIG SANDY CREEK				
Big Sandy (near)	71.	125%	51	59
LITTLE SANDY CREEK	10	1050	7	15
Elkhorn (near)	19	125%	1	19
SNAKE RIVER				
Moran (at) (3)	1023	110%	607	928
Above reservoir near Alpine	=35L ₁ 0	112%	1900	3161
PACIFIC CREEK				
Moran (near)	204	110%	115	185*
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	202	1 1 0/0		
BUFFALO FORK			00-	
Moran (near)	<i>3</i> 77	112%	283	337*
GREY'S RIVER				
Palisades above reservoir	575	143%	278	403*
	212	14,0/0	,	
SALT RIVER				- / -
Etna above reservoir	550	160%	227	360
BEAR RIVER				
Utah-Wyo. State Line(near)	143	116%	88	123
Randolph (near)	120	101%	24	115*
Harer (at)	410	137%	119	299
SMITH'S FORK	170	1500	Qz	110
Border (near)	179	150%	83	119
HENRY'S FORK				
Linwood (at)	6L	160%	23	TiO
BLACK'S FORK	070	1100	100	210*
Green River (near)	230	110%	100	C1U#

All stream data taken from observed flow records with the following exceptions:
(1) Observed flow corrected for Buffalo Bill storage and Heart Mtn. diversion.
(2) Observed flow corrected for Colorado diversion above station.
(3) Observed flow corrected for Jackson Lake storage.

^{*} Less than 15 years of record.

. 1-: (- ! - -3.1 1/1 / 1/2 / . ; The first of the state of the s 1 remarks the second

STATUS OF WYOMING RESERVOIR DATA

May 1. 1962

BASIN		USABLE	USABLE	STORAG	E - 1000	
and/or	RESERVOIR	CAPACITY				1943-57
STREAM		1000's AF	1962	1961	1960	15-Yr. Avg.
Snake River	Jackson	8 <u>1</u> 7.0	250.9	148.5	51.5	
Snake River	Palisades	1,202.0	985.2	703.0	1085.5	
Snake River	Grassy Lake	15.2	10.0	7.5	10.0	13.4
North Platte	Seminoe	981.8	291.5	62.6	276.0	428.4
North Platte	Pathfinder	1,011.0	327.2	233.2	299.6	631.4
North Platte	Alcova**	30.3	13.7	28.1	28.1	
North Platte	Guernsey	39.8	20.9	30.7	23.8	28.5
North Platte	Glendo	786.3	121.0	319.4	455.2	358.4#
Laramie River	Wheatland	95.0	76.8	20.7	38.3	Щ.le
Belle Fourche	Keyhole	190.3	0.2	2.7	11.8	10.8
Shoshone River	Buffalo Bill***	380.3	164.5	117.5	130.3	230.3
Wind River	Boysen	560.0	134.5	92.7	11.6.5	183.0*
Wind River	Pilot Butte	31.6	28.4	27.1	21.8	23.0
Wind River	Bull Lake	152.0	84.1	56.5	32.1	53.5
Green River	Big Sandy	<i>3</i> 8.3	13.2	8.0	8.3	13.6#
Greybull River	Sunshine	53.0	N.R.			

^{*} Average is for less than 15 years of record in the 1943-57 period.

^{**} Alcova downstream from Seminoe and Pathfinder includes 160,170 acre feet of storage that is unavailable to the Kendrick Project. In the future, storage in this reservoir will be held at usable capacity (190,500 acre feet.)

^{***} Usable capacity 439,800 however, 59,500 acre feet are inactive except in emergency.

e Estimated average.

[#] All past data.



STATUS OF NEBRASKA AND SOUTH DAKOTA RESERVOIR DATA

May 1, 1962

BASIN		USABLE	USABLE	STORAG	E - 100	the same of the sa
and/or	RESERVOIR	CAPACITY	10/0	10(1	10/0	1943-57
STREAM		1000's AF	1962	1961	1960	15-Yr. Avg.
NEBRASKA						
Kansas Basin	Bonny ^C	39.9	37.3	37.1	45.1	35.6*
Kansas Basin	Swanson Lake	116.1	120.6	115.7	146.0	93.8*
Kansas Basin	Enders	36.0	44.3	45.3	48.0	40.7*
Kansas Basin	Harry Strunk	33.9	39.1	38.5	4.3	37.0*
Kansas Basin Kansas Basin	Harlan County Cedar Bluff ^k	348.8 176.8	349:6 182.1	<i>3</i> 70.9	401.0 187.2	253.5* 135.1*
Kansas Basin	Lovewellk	37.3	41.7	29.7	11.4	35.5*
Kansas Basin	Kirwink	88.8	94.7	85.2	97.2	51.7*
Kansas Basin	Websterk	611.9	66.8	67.1	72.7	54.1*
Kansas Basin	Kanopolis	1.8.1	N.R.	52.2	139.7	
SOUTH DAKOTA						
Belle Fourche	Belle Fourche	185.2	73.0	12.3	72.1	132.9
Cheyenne River	Angostura	92.0	18.7	7.2	30.0	52.1*
Cheyenne River	Deerfield	15.1	4.7	3.1	2.4	12.4*
Grand River	Shadehill	84.0	35.8	50.2	81.4	·85.3*
				. = .	0/ 0	•
Rapid Creek	Pactola	55.0	b.3	15.6	26.0	


c. Located in Colorado.

k. Located in Kansas.

^{*} Average of all past data.




		·						-	
Duninggo Paoin	Numba		10	962	SNOW C	OVER MEASUREMENTS PAST RECORD			
Drainage Basin and	Numbe or	r	Date	Snow	Water	Water	Content	(In.)	
Snow Course		Elev.	of		Content	Marier	Content	1943-57	
			Survey		(In.)	1961	1960	Average	
MADISON RIVER - YELL	OWSTON	IE PARK							
Norris Rasin : 21 Mile ^m West Yellowstone ^m	10E2 11E6 11E7	7500 7150 6700	5/1 1:/26 1:/26	11 29 13	5.2 11.5 5.0	5.7 16.4 5.4	4.2 9.8 0.0	6.3e 14.5 5.6	
UPPER YELLOWSTONE -	YELLOV	STONE	PARK						
Canyon Cooke City ^m East Entrance : Lake Camp #1 Lake Camp #2 Lupine Creek Norris Basin : Sylvan Pass :	10E3 10D7 10E6 10Eb 10Eb 10E1 10E2	7750 71:00 7000 7850 7850 7300 7500 7100	5/1 4/30 4/30 4/29 4/29 5/1 5/1	42 15 0 32 26 18 14 8	15.5 3.8 0.0 9.9 7.7 6.2 5.2 2.5	10.0 6.6 0.0 5.9 5.1 6.8 5.7 8.6	8.7 4.1 0.0 5.0 2.8 0.0 4.2 5.0	12.6e 6.0e 1.9e 8.7e 6.8e 8.6e 6.3e 10.7e	
LOWER YELLOWSTONE -	CLARK!	S FORK							
Lodgepole	9E1	8200	4/30	24	7.2	6.8	5.2	11.0e	
LOWER YELLOWSTONE -	WIND R	IVER							
Sheridan R.S. #2	9F9 9F6 9F7 9F8 9F14	7500 8000	1/28 1/29 1/30 1/28 1/27 1/28 1/28 1/29	3 T		1.0		8.5e 16.5e 12.1e 6.2e 7.9 6.6e 17.1e 4.8e 4.5e 29.5e	
LOWER YELLOWSTONE -	OWL CR	EEK							
Owl Creek	8FI	8700	Li/23	25	8.4	8.3	9.3	8.7e	
LOWER YELLOWSTONE -	GREYBU	LL RIV	ER						
Timber Creek #2 Wood River #2 Frontier Needle Kirwin	9F20	8000	5/2 5/2 5/3 5/3	6 12 46	1.7 4.2 12.0 13.7	3.7 4.1	2.9 4.6	h.9a 4.2a	



					SNOW C	OVER M	EASUREME	NTS		
Drainage Basin	Numbe	r	19	962			PAST RECORD			
and	or		Date	Snow	Water	Water	Content			
Snow Course	State	Elev.	of Survey		Content (In.)	1961	1960	1943 - 57 Average		
LOWER YELLOWSTONE -	POPO A	GIE RI	/ER							
Blue Ridge Hobbs Park Mosquito Park R.S. Sawmill Glade South Pass : MP St. Lawrence R.S. Trout Creek	862 964 861 863 961 962	9500 10000 9500 8500 9000 9000 8400	4/23 5/2 5/2 1/23 1/23 5/1 5/2	36 58 25 22 40 24 0	12.0 20.1 8.2 8.8 14.5 6.5 0.0	7.6 15.2 1.9 6.0 10.0 4.3	2.4 12.9 2.1 0.0 4.3 1.4 0.0	13.6 20.9e 8.1e 7.1 16.3 7.7e 3.2e		
LOWER YELLOWSTONE -	SHOSHO	NE RIVE	ER							
East Entrance : Carter Mountain M Sylvan Pass : Togwotee Pass : MP	10E6 9EU 9E5 10F9	7000 7800 9200 9600	14/30 5/1 14/30 14/30	0 16 8 75	0.0 4.9 2.5 33.0	0.0 4.7 8.6 28.8	0.0 3.8 5.0 27.0	4.9e 7.1a 10.7e 29.5e		
LOWER YELLOWSTONE -	NOWOOD	CREEK								
Bear Trap : Canyon Creek : Cold Springs Camp Medicine Lodge Lakes Munkres Pass : Onion Gulch : M Tansleep R.S. Tyrell R.S. West Tensleep Lake	7FI 7F2 7E25 7E24M 7E8 7E27 7E7 7E35 7E26	8000 7400 8700 9500 9700 8100 8300 8300 9075	L/28 L/25 L/25 L/25 5/1 L/27 No rep L/26	26 31 18 39 36 37 200rt 31	9.2 10.2 5.5 12.8 10.7 12.3 8.8 14.6	8.6 15.5 8.2 13.0 8.0 8.7 N.R. 5.5	1.9 10.0 3.1 9.3 7.4 5.6 0.0 5.4	6.9a 12.1a 9.8e 8.8a 4.4 7.8e		
LOWER YELLOWSTONE -	SHELL	CREEK								
Bald Mountain : M Beaver Tongue : Bone Spring : Granite Pass : Ranger Creek Shell Creek	7E21 7E20 7E18 7E17 7E1 7E23	9600 9200 9200 9200 8950 8800 9600	12/21 11/21 11/27 11/27 11/21 11/21	65 59 69 65 25 59	24.5 21.3 20.9 19.6 8.8 18.6	25.2 22.0 18.8 17.2 7.6 15.0	20.8 16.6 16.0 16.4 3.1 13.9	21.1a 21.4a 19.9a 19.6a 7.5e 16.0a		
LOWER YELLOWSTONE -	PORCUP	INE CRE	EK							
Five Springs Falls Medicine Wheel	7E31 7E30	7500 9000	4/30 4/25	8 39	2.0 13.3	7.8 18.4	2.9 14.6	6.7a 17.6a		

	gengan ny Arner en en en skrivkange	g op a water A con-	The state of the s	9.0-100 - 10-12	e	• .		ez : : :
		The second	y - 10 fight Care in the most company	er and gran	Mare			· · · · · ·
The second second		1996	traper de las producinas e		to a constant		1	. 1
							1	
	Ala Is	1 32 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A STATE OF THE STA	Agent's				sphorephylopen in apr
							- "-	en e
` - <u>`</u>		1	11.5	*.	1.5			And the state of the state of
14.7		1. 1.		*	4 (4	the state of
	***	. 1			1 1 1 1		•	the formal state of
: 	21,				100	$e_{\beta^{\prime}}=\beta^{\prime}$		A State of the state of
		9	1		1000			
	1, 1				\$		4	a the end of the control of
					1.00		1	the state of the s
		,	·					
						111.11.11.11.11.11.11.11.11.11.11.11.11	That against service	and the second second second
	4. [7]	7 2	4.5				1.3	e total je t
		м _ = ^{i,}						
		, , , , , , , , , , , , , , , , , , ,	e e e e e e e e e e e e e e e e e e e	-		4.		
Walter Commencer	and the same	1 N 1 1	2 %				· ·	January States
						g gr		en e
	. ~ .	F. (1)			1. A	198 11	1 4	The second secon
		0.81			1 - 3. 1	1.38		in the second of
						Maria.	147	and the second second
			7 78			e, etc.		and the first of the second
,	7		* * * * * * * * * * * * * * * * * * * *		٠.		479	grand Carlos
			e de la companya de			·y; -		97.5
\$ 6	7		•					
,								
						214	24	
		. *						
						Strate of	A TOP SERVICE	and the state of t
		12.85		1, 1	1,8		P. C.	$\label{eq:continuous_problem} \mathcal{L} = \{ \mathbf{v}_{i} \in \mathcal{V}_{i} \mid i \in \mathcal{V}_{i}, i \in \mathcal{V}_$
1. F		=	2 825					A STATE OF THE STA
		6 4				Ŧ	* 4 - 10 -	
					1.3			
			2.1					
			, ·	. `				
							1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A STATE OF THE STA
			er i				iji re u	The second of th
±4.							tan tenan	A CONTRACTOR OF THE STATE OF TH


-				-				
Duning Danin	NI samp a			62	SNOW C	OVER ME	EASUREMEN	
Drainage Basin	Numbe or	? r	Date	Snow	Water	Water	PAST RE Content	(In.)
Snow Course	_	Elev.	of		Content	Malei	content	1943-57
Show Codi Se	Sidie	LIEV.	Survey	(In)	(in.)	1961	1960	Average
The second secon		dalayan katalan da	out vey	(111)	(11)	1,001	-1,00	Ave. age
LOWER YELLOWSTONE -	TONGUE	RIVER						
Beaver Tongue : Big Goose #2 M	7E20 7E32	9200 7700	11/21	59 21,	21.3 6.5	22.0 7.7	16.6 4.6	21.Ца 8.9а
Bone Spring :	7E18	9200	1/27	69	20.9	18.8	16.0	19.9a
Burgess R.S. #2	7E33	7900	1/21	19	5.1	7.1	7.8	8.6a
Dome Lake #2	7E3/	8800	4/29	九	10.9	10.8	9.8	9.8a
Gloom Creek	7E15	9300	1/26	5 <u>L</u> i	15.1	16.4	15.3	17.0a
Granite Pass :	7E17	8950	4/27	65	19.6	17.2	16.4	19.6a
North Tongue	7E15	8800	4/25	32	10.0	10.0	9.6	
Sibley Lake	7E11	8000	4/28	25	7.9	9.3	6.9	10.8a
Steamboat Point	7E10	7500	4/28	21	5.3	7.5	6.5	10.2a
Sucker Creck	7E12	9000	4/26	45	13.0	13.4	12.0	14.8a
Food Rock G S.	7E13	8500	4/25	33	9.6	11.4	10.6	12.5a
LOWER YELLOWSTONE -	POWDER	RIVER						
Bear Trap : Canyon Creek : Muddy Creek G.S. Munkres Pass : Onion Gulch : M Soldier Park Sour Dough	7FI 7F2 7E28 7E8 7E27 7E5 7E6	8000 7400 7500 9700 8100 8700 8500	Li/28 Li/30 5/1 5/1 Li/27 5/2 5/1	26 31 0 36 37 16 20	9.2 10.2 0.0 10.7 12.3 5.4 6.2	8.6 15.5 4.2 8.0 8.7 6.3	1.9 10.0 1.0 7.4 5.6 4.3 2.0	3.9a 9.8e 8.8a 6.1e 6.6e
NORTH PLATTE - SWEET	TWATER							
Connies Mandaus	901	0000	1 /07	1 .	/	7 1	4 0	15.5
Grannier Meadows Larsen Creek South Pass - MP	8GL 9G6 8G3	9000 9000 9000	1:/23 1:/27 1:/23	Li 28 Jio	15.6 10.5 15.5	7.1 7.8 10.0	6.8 1.7 4.3	15.5 7.8e 16.3
NORTH PLATTE - CROW	CREEK							
Pole Mountain #2 :	5H1	8700	5/2	1	0.3	1.5	0.6	2.7e
NORTH LARAMIE MOUNTA	INS							
Boxelder #2 : Casper Mountain : LaBonte :	561 661 562	9000 8700 8550	4/30 LATE F 4/30	12 REPORT 0	0.0	6.1 14.8 0.0	3.2 11.4 0 0	13.5a 0.0a



			عبد مشارعة ومشارعها											
D. Janes Donie	A for anything and		0/0	SNOW C	OVER M	EASUREME								
Drainage Basin	Number		962 Saan	W - h	Min do a sa	PAST R								
and Snow Course	or State Elev.	Date of	Snow	Water Content	Water	Content	(In.) 1943-57							
Show Course	State Elev.	Survey			1961	1960	Average							
		our vey	(1110)	/1110/	1901	1900	Average							
NODEL DIATE LADAM	NORTH PLATTE - LARAMIE RIVER													
NORTH PLATTE - LARAN	HE RIVER													
Albany :	6нт 9400	5/2	25	9.6	9.6	4.7	11.5e							
Brooklyn Lake #2	6н13 10200	5/1	55	23.1	20.4	14.8	23.5e							
Cameron Pass ^C	5JI 10300	1/26	83	36.5	27.5	26.0	25.6							
Chambers Lake ^C	512 9000	11/29	7	2.3	8.0	0.0	4.9							
Deadman Hill ^C :	516 10300	11/30	52	17.5	17.0	15.5	17.7							
Evans :	6H15 9000	11/27	23	9.3	9.5									
Foxpark :	CH12 9200	1./27	10	3.9	5.6	0.0	5.0							
Hairpin Turn #2	6н2 9500	5/1	31	ر.01	10.1	5.1	12.2							
Hairpin Turn #3	6H2 9500	5/1	32	12.6	11.7	4.9								
LaBonte :	562 8L50	4/30	0	0.0	0.0	0.0	0.0a							
Libby Lodge	6H3 8700	5/1	16	6.4	8.5	1.5	7.8							
Lost Lake ^C	5J23 9300	4/29 4/23	30 30	9.1 8.0	10.9	5.5	8.4e							
McIntyre ^C Pole Mountain #2 :	5J15 9100 5H1 8700	5/2	32 1	0.3	10.1	3.3 0.6	9.0e 2.7e							
Roach ^C	6J12 9800	4/29	59	20.0	17.4	11.3	20.9							
Nodell -	0012 7000	4/-/		20.0	1 7 • 44	1100	201)							
NORTH PLATTE - ABOVE	SEMINOE RES	ERVOIR												
Springer of the State of State of the State		/-		,	,									
Albany :	9нт 2700	5/2	25	9.6	9.6	4.7	11.5e							
Bottle Creek	6н8 8200	4/26	23	9.7	9.0	2.5	10.7							
Boxelder #2:	5GI 9000	1/30	12	4.2	6.1	3.2	05 6							
Cameron Pass ^C :	5JI 10300 6GI 8700	上/26 LATE:	83 REPORT	36.5	27.5 14.8	26.0 11.4	25.6 13.5a							
Casper Mountain : Columbine ^C	6 J 3 9300	b/25	1.9	23.2	20.0	13.7	21.3							
Evans :	6H15 9000	1/27	23	9.3	9.5	1) 1	21.07							
Foxpark :	6H12 9200	1./27	10	3.9	5.6	0.0	5.0							
LaBonte ÷	5G2 8450	11/30	0	0.0	0.0	0.0	0.0a							
North Barrett Creek	6H5M 9400	No Rep	ort		19.2	14.5	19.4							
North French Creek	6HLIP 10200	11/27	7 9	36.3	30.0	29.0	32.4							
Northgate ^C	6 J 7 8500	11/27	17	1.0	5.4	0.2								
Old Battle :	6н10 9800	1/26	6L;	29.4	27.6	27.0	34.1							
Park View ^C	612 9200	1./26	5/1	9.1	8.7	2.1	6.5							
Roach ^C :	6J12 9800	1/29	59	20.0	17.4	11.3	20.9							
Ryan Park	6H6 8L00	1/26	11. 32	6.2 15.2	9.9	0.0 7.2	7.4 16.1							
Webber Springs Willow Creek Pass ^C	6H9M 9000 6J5 9500	1/26	3L1	15.2	12.7 13.2	7.6	11.5							
willow Creek rass	612 5200	4720	16.	10.7	19.6	1.0	11.7							



		-					
		-	1000	SNOW	COVER M	EASUREME	
Drainage Basin	Number		1962	10/2	Mar.	PAST R	
and	or	Date	Snow	Water	Warer	Content	
Snow Course	State Elev.	Survey		Content (In.)	1961	1960	1943-57 Average
GREEN RIVER - ABOVE	GREEN RIVER						
Big Sandy Opening Dutch Joe R.S. East Rim Divide - MP Elk Heart Park Gros Ventre - Kendall R.S. #1 Kendall R.S. #2 Loomis Park #1 - Loomis Park #2 - Mulligan Park New Fork Lake North Horse Creek	9610 9100 10F19 8750 10F15 7900 10F16 8500 10F16 8500 961 8900 9F21 8325 10G16 8200	L/26 L/26 L/23 L/29 L/29 L/23 L/21 L/28 No Ri	32 15 30 12 37 26 27 38 11 26 26 eport	12.4 5.7 11.6 16.9 11.9 7.1 8.1 16.6 18.1 11.0	9.7 4.8 5.8 11.4 10.4 6.2 9.9 7.2 7.7	0.0 2.9 6.7 0.0 0.0 6.0 7.8 0.0	4.5e 10.5e 10.8e 6.9e 14.0e 8.0
Piney LaBarge #1 Piney LaBarge #2 Pocket Creek Poison Meadows: Snyder Basin #2 MP Soda Lake South Pass: MP Triple Peaks GREEN RIVER - BELOW 0	10G10 8820 10G10 8820 9G11 9360 10G6 8500 10G13 8040 10G14 8300 8G3 9000 10G15 8500	1/28 1/25 1/28 1/28 1/29 1/29 1/29	51 36 86 33 36	23.0 14.7 37.1 15.1 14.4 14.5 25.1	8.4 10.5 11.0 20.5 5.0 8.8 10.0 16.6	9.3 10.2 23.9 5.6 8.3 16.8	15.2e 29.8a 11.3e 15.8e 16.3 27.9e
Big Park : Blacks Fork Jct. U East Fork Blacks Fk.	10G11 8700 10J22 8925	4/27 1:/21; 1:/23	50 17 27	22.1 5.8 9.5	12.3 7.1 7.0	14.3	19.8a
Elk River ^C Hewinta R.S. ^U Hickerson Park ^U	6J4 8700 10J4 9500 9J8 9100	1./26 1./23 1./21.	33 20	15.3 6.8 3.9	9.8 6.8	8.8	12.8
Kelly R.S. : Old Battle : Spirit Lake	10G12 8200 6H10 9800 9J7 10300 10J25 11100	1./27 1./26 1./21 1./30	1.3 6Li Li2	19.2 29.1 16.2 20.5A	10.3 27.6 15.6	12.8 27.0	15. ३ 34. ।
Grassy Lake Lewis Lake Divide	10E15 7265 10E9 7900	5/I 1/30	6 2 9h	31.1 bl.3	26.9 38.9	25.2 28.1	32.4



		SNOW COVER MEASUREMENTS					
Drainage Basin	Number or	1962 PAST RECORD					
and		Date Snow		Water	Water Content (In.)		
Snow Course	State Elev.	of		Content			1943-57
		Survey		(In.)	1961	1960	Average
JACKSON LAKE TO PALISADES							
Afton R.S.	10GL 6200	1./26	0	0.0	0.0	0.0	0.0
Bryan Flat	10FIL 6250	1/23	8	2.3	0.0	0.0	2.2e
CCC Camp :	10G7 7500	1./26	0	0.0	0.0	4.5	6.0e
East Rim Divide -MP	10F17 7950	1./23	30	11.6	5.8	2.9	10.5e
Greys Boundary	10F18 5800	11/26	0	0.0	0.0	0.0	0.7
Gros Ventre :	10F19 8750	11/29	37	11.9	10.4	6.7	10.8e
Grover Park Divide	10G3 7500	11/26	0	00	4.3	7.1	7.1e
Loomis Park #1 :	10F16 8500	1./23	38	16.6	9.6	6.0	14.0e
Loomis Park #2 :	10F16 8500	11/23	1,1	18.1	9.9	7.8	
Poison Meadows :	10G6 8500	1./28	8ć	37.1	20.5	23.9	29.8a
Salt River Summit :	10G8P 7900	1./26	21	10.6	5.7	8.4	10.8e
Snow King Mtn. #3	10F20M7600	5/1	21	9.7	6.9	9.6	
Teton Pass #2	10F13 8500	11/27	82	34.0	27.4	30.9	39.2e
Togwotee Pass : MP	10F9 9600	1/30	75	33.0	28.8	27.0	29.5e
Yellowjacket	10F10 7675	5/1	0	0.0	0.0	0.0	
BEAR RIVER							
Big Park ÷	10G11 8700	4/27	50	22.1	12.3	14.3	19.8a
CCC Camp :	10G7 7500	4/26	0	0.0	0.0	4.5	6.0e
Goodman Ranchu	1016 7900	4/26	0	0.0	0.0	0.0	
Hayden Fork ^u	10J7 9300	4/26	38	16.3	8.6	8.8	
Kelly R.S. :	10G12 8200	1./27	43	19.2	10.3	12.8	15.3
Monte Cristou	11H12 8960	4/30	53	24.2	15.4	16.0	
Poison Meadows :	10G6 8500	4/28	86	37.1	20.5	23.9	29.8a
Salt River Summit :	10G8P 7900	4/26	21	10.6	5.7	8. L	10.8e
Still Water Campu	10117 8550	4/26	9	2.8	4.9	0.6	
Trial Lake ^U	1018 2800	11/26	68	32.1	16.3	21.0	
Steel Creek Park ^u	10119 9900	11/23	38	13.3			

a. Average of all past data.

e. 19/3-57 partially estimated.

c. Colorado snow courses.

m Montana snow courses.


u. Utah snow courses

[:] Located close to divide.

A. Aerial stadia marker, water content estimated.

M. Soil moisture stack.

P. Pearson storage gage.



Agencies Cooperating in Wyoming Snow Surveys

FEDERAL

U. S. Department of Agriculture Forest Service Soil Conservation Service

U. S. Department of Commerce Weather Bureau

U. S. Department of the Interior Bureau of Reclamation Geological Survey National Park Service Indian Service

STATE

State Engineer of Wyoming

PRIVATE

Wheatland Irrigation District Greybull Valley Irrigation District Clouds Peak Soil & Water Conservation District Cody Soil & Water Conservation District Dubois-Crowheart Soil & Water Conservation District Greybull Valley Soil & Water Conservation District Lake DeSmet Soil & Water Conservation District Laramie Rivers Soil & Water Conservation District Little Snake River Soil & Water Conservation District Medicine Bow Soil & Water Conservation District Pinedale Soil & Water Conservation District S & E Soil & Water Conservation District Shell Valley Soil & Water Conservation District Shoshone Soil & Water Conservation District Tongue River Soil & Water Conservation District Washakie Soil & Water Conservation District Wheatland Soil & Water Conservation District Powder River Soil & Water Conservation District Pavillion & Wind River Soil & Water Conservation District Powell-Clarks Fork Soil & Water Conservation District Bridger Valley Soil & Water Conservation District

U. S. Department of Agriculture Library, Current Serial Record Washington 25, D.C.

FIRST CLASS MAIL

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey"